

## KÄLTEPRÜFSTROM VON BATTERIEN ENTSPRECHEND VERSCHIEDENER NORMEN

| SAE  | EN   | IEC  | DIN |
|------|------|------|-----|
| 155  | 145  | 100  | 90  |
| 200  | 180  | 130  | 110 |
| 250  | 230  | 160  | 140 |
| 300  | 280  | 195  | 170 |
| 350  | 330  | 225  | 200 |
| 400  | 360  | 260  | 225 |
| 450  | 420  | 290  | 255 |
| 500  | 480  | 325  | 280 |
| 550  | 520  | 355  | 310 |
| 600  | 540  | 390  | 335 |
| 650  | 600  | 420  | 365 |
| 700  | 640  | 450  | 395 |
| 750  | 680  | 485  | 420 |
| 800  | 760  | 515  | 450 |
| 850  | 790  | 550  | 480 |
| 900  | 860  | 580  | 505 |
| 950  | 900  | 615  | 535 |
| 1000 | 940  | 645  | 560 |
| 1050 | 1000 | 680  | 590 |
| 1100 | 1040 | 710  | 620 |
| 1150 | 1080 | 745  | 645 |
| 1200 | 1150 | 775  | 675 |
| 1250 | 1170 | 810  | 700 |
| 1300 | 1220 | 840  | 730 |
| 1350 | 1270 | 870  | 760 |
| 1400 | 1320 | 905  | 790 |
| 1450 | 1360 | 935  | 815 |
| 1500 | 1410 | 975  | 820 |
| 1540 | 1450 | 1000 | 870 |

| JIS    | SAE  |
|--------|------|
| 26A17  | 225  |
| 26A19  | 201  |
| 28A19  | 248  |
| 32A19  | 294  |
| 26B17  | 225  |
| 28B17  | 246  |
| 34B17  | 279  |
| 28B19  | 247  |
| 34B19  | 272  |
| 36B20  | 274  |
| 38B20  | 332  |
| 46B24  | 325  |
| 50B24  | 390  |
| 55B24  | 433  |
| 32C24  | 238  |
| 50D20  | 306  |
| 55D23  | 356  |
| 65D23  | 420  |
| 70D23  | 490  |
| 75D23  | 520  |
| 48D26  | 278  |
| 55D26  | 348  |
| 65D26  | 413  |
| 75D26  | 490  |
| 80D26  | 582  |
| 65D31  | 389  |
| 75D31  | 447  |
| 95D31  | 622  |
| 95E41  | 512  |
| 105E41 | 577  |
| 115E41 | 651  |
| 130E41 | 799  |
| 115F51 | 638  |
| 145F51 | 780  |
| 150F51 | 916  |
| 170F51 | 1045 |
| 145G51 | 754  |
| 165G51 | 933  |
| 180G51 | 1090 |
| 195G51 | 1146 |
| 190H52 | 924  |
| 245H52 | 1532 |

# NOVITEC

### NOVITEC GmbH

Alsbachstraße 15  
 D-66115 Saarbrücken  
 Tel.: +49 (681) 992740  
 Fax: +49 (681) 817877  
 E-Mail: info@novitec.de  
 Internet: www.novitec.de