

PANTERA Product GmbH  
28197 Bremen / GERMANY

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 1 / 14

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**MD-3000/30v3**

**UFI: 9J69-K0GX-G00A-X91A**

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**1.2.1 Relevant uses**

Sealing material

**1.2.2 Uses advised against**

None known.

**1.3 Details of the supplier of the safety data sheet**

**Company** PANTERA Product GmbH  
Simon-Bolivar-Straße 29  
28197 Bremen / GERMANY  
Phone +49 (0)421 520 80 780  
Fax +49 (0)421 520 80 789  
Homepage [www.panteraproduct.de](http://www.panteraproduct.de)  
E-mail [info@panteraproduct.de](mailto:info@panteraproduct.de)

**Address enquiries to**

**Technical information** [info@panteraproduct.de](mailto:info@panteraproduct.de)

**Safety Data Sheet** [sdb@chemiebuero.de](mailto:sdb@chemiebuero.de)

**1.4 Emergency telephone number**

**Advisory body** GIZ-Nord; +49 (0)551 19 240

**Company**

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture [REGULATION (GB) CLP]**

Eye Irrit. 2: H319 Causes serious eye irritation.

**2.2 Label elements**

The product is required to be labelled in accordance with regulation CLP.

**Hazard pictograms**



**Signal word**

WARNING

**Hazard statements**

H319 Causes serious eye irritation.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear eye protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice / attention.

**Special labelling**

Contains: N-[3-(Trimethoxysilyl)propyl]ethylenediamine. EUH208 May produce an allergic reaction.

**PANTERA Product GmbH**  
**28197 Bremen / GERMANY**

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 2 / 14

### 2.3 Other hazards

Human health dangers	Contact with moisture liberates Methanol.
Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.
Other hazards	Further hazards were not determined with the current level of knowledge.

## SECTION 3: Composition / Information on ingredients

### 3.1 Substances

not applicable

### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - <3	3-(Trimethoxysilyl)propylamine CAS: 13822-56-5, EINECS/ELINCS: 237-511-5, Reg-No.: 01-2119510159-45-XXXX GHS/CLP: Eye Dam. 1: H318 - Skin Irrit. 2: H315
0,1 - <1	N-[3-(Trimethoxysilyl)propyl]ethylenediamine CAS: 1760-24-3, EINECS/ELINCS: 217-164-6, Reg-No.: 01-2119970215-39-XXXX GHS/CLP: Eye Dam. 1: H318 - Skin Sens. 1: H317 - STOT SE 3: H335 - STOT RE 2: H373
0,1 - <1	Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate CAS: 52829-07-9, EINECS/ELINCS: 258-207-9, Reg-No.: 01-2119537297-32-XXXX GHS/CLP: Eye Dam. 1: H318 - Aquatic Acute 1: H400 - Aquatic Chronic 2: H411

**Comment on component parts** Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>General information</b>	Take off contaminated clothing and wash before reuse.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Seek medical advice immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects  
Allergic reactions

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Water spray jet. Dry powder. Foam. Carbon dioxide.
<b>Extinguishing media that must not be used</b>	Full water jet.

PANTERA Product GmbH  
28197 Bremen / GERMANY

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 3 / 14

## 5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NO<sub>x</sub>).

## 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically.

Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder, diatomaceous earth).

Dispose of absorbed material in accordance with the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.

Wash hands before breaks and after work.

Use barrier skin cream.

Do not eat, drink, smoke or take drugs at work.

Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep in a cool place. Store in a dry place.

Protect from heat/overheating.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

PANTERA Product GmbH  
28197 Bremen / GERMANY

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 4 / 14

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

Substance
Methanol
CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X, Reg-No.: 01-2119433307-44-XXXX
Long-term exposure: 200 ppm, 266 mg/m <sup>3</sup> , Sk
Short-term exposure (15-minute): 250 ppm, 333 mg/m <sup>3</sup>

#### Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Methanol
CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X, Reg-No.: 01-2119433307-44-XXXX
Eight hours: 200 ppm, 260 mg/m <sup>3</sup> , H

#### DNEL

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
Industrial, inhalative, Acute - systemic effects, 260 mg/m <sup>3</sup>
Industrial, dermal, Long-term - systemic effects, 1 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 7,1 mg/m <sup>3</sup>
general population, inhalative, Long-term - systemic effects, 1,7 mg/m <sup>3</sup>
general population, inhalative, Acute - systemic effects, 50 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 8 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 0,5 mg/kg bw/day
Bis-(2,2,6,6,-tetramethyl-4-piperidiny)l sebacate, CAS: 52829-07-9
Industrial, inhalative, Long-term - systemic effects, 2,82 mg/m <sup>3</sup>
Industrial, dermal, Long-term - systemic effects, 1,6 mg/kg bw/day
Industrial, inhalative, Acute - systemic effects, 2,82 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 400 µg/kg bw/day
general population, inhalative, Long-term - systemic effects, 690 µg/m <sup>3</sup>
general population, dermal, Long-term - systemic effects, 800 µg/kg bw/day
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
Industrial, inhalative, Acute - local effects, 5,36 µg/m <sup>3</sup>
Industrial, inhalative, Long-term - local effects, 600 µg/m <sup>3</sup>
Industrial, inhalative, Acute - systemic effects, 260 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - systemic effects, 260 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 8 mg/kg bw/day
general population, inhalative, Acute - systemic effects, 50 mg/m <sup>3</sup>
general population, inhalative, Long-term - systemic effects, 50 mg/m <sup>3</sup>

#### PNEC

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
sediment (seawater), 120 µg/kg sediment dw
freshwater, 330 µg/L
seawater, 33 µg/L

**PANTERA Product GmbH**  
**28197 Bremen / GERMANY**

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 5 / 14

sediment (freshwater), 1,2 mg/kg sediment dw
soil, 45 µg/kg soil dw
sewage treatment plants (STP), 13 mg/L
Bis-(2,2,6,6,-tetramethyl-4-piperidiny)l sebacate, CAS: 52829-07-9
freshwater, 18,8 µg/L
sediment (seawater), 2,9 mg/kg
sediment (freshwater), 29 mg/kg
sewage treatment plants (STP), 1 mg/L
seawater, 1,88 µg/L
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
freshwater, 62 µg/L
seawater, 6,2 µg/L
soil, 8,5 µg/kg soil dw
sewage treatment plants (STP), 25 mg/L
sediment (freshwater), 220 µg/kg sediment dw
sediment (seawater), 22 µg/kg sediment dw

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	0,7 mm Butyl rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
<b>Skin protection</b>	Protective clothing (EN 340)
<b>Other</b>	Avoid contact with eyes and skin. Do not inhale vapours.
<b>Respiratory protection</b>	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, filter A. (DIN EN 14387)
<b>Thermal hazards</b>	no
<b>Delimitation and monitoring of the environmental exposition</b>	Protect the environment by applying appropriate control measures to prevent or limit emissions.

PANTERA Product GmbH  
28197 Bremen / GERMANY

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 6 / 14

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	pasty
Color	various
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not determined
Boiling point [°C]	not applicable
Flash point [°C]	not determined
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm <sup>3</sup> ]	not determined
Relative density	not determined
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	not determined
Kinematic viscosity	not applicable
Relative vapour density	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Auto-ignition temperature	not applicable
Decomposition temperature [°C]	not determined
Particle characteristics	No information available.

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

### 10.4 Conditions to avoid

See SECTION 7  
Contact with moisture.

### 10.5 Incompatible materials

Strong oxidizing agent.

**PANTERA Product GmbH**  
**28197 Bremen / GERMANY**

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 7 / 14

#### **10.6 Hazardous decomposition products**

Contact with moisture liberates Methanol.

PANTERA Product GmbH  
28197 Bremen / GERMANY

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 8 / 14

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute oral toxicity** Based on available data, the classification criteria are not met.

Product
oral, Based on the available information, the classification criteria are not fulfilled.
Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
LD50, oral, Rat, 2,97 mL/kg bw, OECD 401
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
LD50, oral, Rat, > 2000 mg/kg
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
LD50, oral, Rat, 2295 mg/kg bw

**Acute dermal toxicity** Based on available data, the classification criteria are not met.

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
LD50, dermal, Rabbit, 11,3 mL/kg bw, OECD 402
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
LD50, dermal, Rat, > 2000 mg/kg
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
LD50, dermal, Rabbit, >2000 mg/kg bw

**Acute inhalational toxicity** Based on available data, the classification criteria are not met.

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.
Substance
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
LC50, inhalative, Rat, 7,7 mg/l (4 h)
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
LC50, inhalative, Rat, 1,49 -2,44 mg/L, 4h

**Serious eye damage/irritation** Irritant

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
Eye, Rabbit, OECD 405, corrosive
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
Rabbit, OECD 405, corrosive

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
dermal, Rabbit, OECD 404, irritant



**PANTERA Product GmbH**  
**28197 Bremen / GERMANY**

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 9 / 14

**Respiratory or skin sensitisation**

Based on available data, the classification criteria are not met.  
May cause an allergic skin reaction.

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
dermal, Guinea pig, OECD 406, non-sensitizing
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
dermal, Guinea pig, OECD 406, sensitising

**Specific target organ toxicity — single exposure**

Based on available data, the classification criteria are not met.

**Specific target organ toxicity — repeated exposure**

Based on available data, the classification criteria are not met.

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
NOAEL, oral, Rat, 100 mg/kg bw/day, OECD 408, adverse effect observed
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
NOAEC, inhalative, Rat, 15 mg/m <sup>3</sup> , OECD 422

**Mutagenicity**

This product contains one or more substances of Muta. 2.  
(CAS: 22673-19-4)

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
in vitro, OECD 471, negativ
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
Ames-test, negativ

**Reproduction toxicity**

This product contains one or more substances of categorie Repr. 1B (CLP).  
(CAS: 22673-19-4)

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 414, no adverse effect observed
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
NOAEL, oral, Rat, 750 mg/kg bw/day, OECD 422

**Carcinogenicity**

Does not contain a relevant substance that meets the classification criteria.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**General remarks**

Toxicological data of complete product are not available.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

Contains no ingredients with endocrine-disrupting properties.

**Other information**

none

PANTERA Product GmbH  
28197 Bremen / GERMANY

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 10 / 14

## SECTION 12: Ecological information

### 12.1 Toxicity

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
LC50, (96h), fish, 934 mg/L
EC50, (72h), Algae, >603 - 1000 mg/L
EC50, (48h), Daphnia magna, 331 mg/L
Bis-(2,2,6,6,-tetramethyl-4-piperidiny)l sebacate, CAS: 52829-07-9
LC50, (48h), Invertebrates, 8,58 mg/L
LC50, (96h), fish, 4.4 mg/L
EC50, (72h), Algae, 705 - 1900 µg/L
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
LC50, (96h), Danio rerio, 597 mg/l (Lit.)
EC50, (16h), Pseudomonas putida, 67 mg/l (Lit.)
EC50, (48h), Daphnia magna, 81 mg/l (Lit.)
IC50, (72h), Algae, 8,8 mg/l (OECD 201)
NOEC, (21d), Daphnia magna, > 1 mg/l (Lit.)
NOEC, (72h), Algae, 3,1 mg/l (OECD 201)

### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

### 12.3 Bioaccumulative potential

not determined

### 12.4 Mobility in soil

not applicable

### 12.5 Results of PBT and vPvB assessment

Does not contain a relevant substance that meets the classification criteria.

### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

### 12.7 Other adverse effects

Ecological data of complete product are not available.

**PANTERA Product GmbH**  
**28197 Bremen / GERMANY**

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 11 / 14

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

##### Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.

**Waste no. (recommended)** 070217

##### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

**Waste no. (recommended)** 150102

### SECTION 14: Transport information

#### 14.1 UN number or ID number

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** not applicable

#### 14.2 UN proper shipping name

**Transport by land according to ADR/RID** NO DANGEROUS GOODS

**Inland navigation (ADN)** NO DANGEROUS GOODS

**Marine transport in accordance with IMDG** NOT CLASSIFIED AS "DANGEROUS GOODS"

**Air transport in accordance with IATA** NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** not applicable

**PANTERA Product GmbH**  
**28197 Bremen / GERMANY**

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 12 / 14

**14.4 Packing group**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**14.5 Environmental hazards**

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

**TRANSPORT-REGULATIONS** ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- Observe employment restrictions for people Observe employment restrictions for young people.

- VOC (2010/75/CE) 0 %

**15.2 Chemical safety assessment**

not applicable

**SECTION 16: Other information**

**16.1 Hazard statements (SECTION 3)**

H411 Toxic to aquatic life with long lasting effects.  
H400 Very toxic to aquatic life.  
H373 May cause damage to the respiratory system through prolonged or repeated exposure through inhalation.  
H335 May cause respiratory irritation.  
H317 May cause an allergic skin reaction.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.

PANTERA Product GmbH  
28197 Bremen / GERMANY

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 13 / 14

## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
EL50 = Median effective loading  
ELINCS = European List of Notified Chemical Substances  
EmS = Emergency Schedules  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
IVIS = In vitro irritation score  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
LL50 = Median lethal loading  
LQ = Limited Quantities  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV@TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

### Classification procedure

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

**PANTERA Product GmbH**  
**28197 Bremen / GERMANY**

Date printed 11.11.2021, Revision 28.10.2021

Version 07. Supersedes version: 06

Page 14 / 14

**Modified position**

SECTION 3 been added: Bis-(2,2,6,6,-tetramethyl-4-piperidinyl) sebacate  
SECTION 3 been added: 3-(Trimethoxysilyl)propylamine  
SECTION 3 deleted: 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)  
SECTION 3 deleted: Dibutylbis(pentane-2,4-dionato-O,O')tin  
SECTION 3 deleted: Benzene, C14-30-alkyl derivs.  
SECTION 2 been added: exclamation mark  
SECTION 2 deleted: The mixture contains the following substances which fulfill the PBT and/or vPvB criteria according to REACH criteria, Annex XIII: [x]  
SECTION 2 been added: P102 Keep out of reach of children.  
SECTION 2 been added: Eye Irrit. 2  
SECTION 2 been added: WARNING  
SECTION 2 been added: H319 Causes serious eye irritation.  
SECTION 2 been added: P280 Wear eye protection.  
SECTION 2 been added: P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
SECTION 2 been added: P337+P313 If eye irritation persists: Get medical advice / attention.  
SECTION 2 been added: Contains no ingredients with endocrine-disrupting properties.  
SECTION 2 been added: Does not contain any PBT or vPvB substances.  
SECTION 2 been added: P101 If medical advice is needed, have product container or label at hand.  
SECTION 2 deleted: EUH210 Safety data sheet available on request.  
SECTION 8 been added: Protective clothing (EN 340)  
SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.  
SECTION 11 been added: Based on available data, the classification criteria are not met.  
SECTION 11 been added: Based on available data, the classification criteria are not met.  
SECTION 11 been added: Based on available data, the classification criteria are not met.  
SECTION 11 deleted: Based on available data, the classification criteria are not met.  
SECTION 11 been added: Irritant  
SECTION 12 been added: Does not contain a relevant substance that meets the classification criteria.  
SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.  
SECTION 12 deleted: The mixture contains the following substances which fulfill the PBT and/or vPvB criteria according to REACH criteria, Annex XIII:[x]  
SECTION 15 been added: Observe employment restrictions for young people.  
SECTION 16 been added: Calculation method

Copyright: Chemiebüro®