

Product information

Marine Fuel System Cleaner

PI 11/18/06/2018



Description

Highly effective combination of cleaning and pre-servicing additives for 2-stroke and 4-stroke gasoline engines. Removes deposits on injection valves, intake valves, spark plugs and in the combustion chamber and prevents new deposits from forming. For a smoother running engine Eliminates starting problems and rough engine running. Preserves and protects the entire fuel system against wear, deposits and corrosion. Clean engines use less fuel and emit fewer pollutants.

Properties

- removes deposits from entire fuel system
- saves fuel and reduces pollutant emissions
- cleans the injection system
- removes carbon deposits from the intake valves and in the combustion chamber

Technical data

Base	Additive, Trägerflüssigkeit / additives, carrier fluid
Color / appearance	hellgelb, klar / light yellow, clear
Density at 15 °C	0,816 g/cm ³
Regulation on Flammable Liquids Class (Germany)	A III
Form	flüssig / liquid
Odor	charakteristisch / characteristic
Viscosity at 40 °C	<7 mm ² /s

Areas of application

For all types of gasoline injection systems and carburetors. For adding to fuel tanks to deal with and prevent problems.

Application

500 ml is sufficient for 250 l of fuel. Filling the dosage chamber (25 ml) once is sufficient for 12.5 l of fuel.

Available pack sizes

500 ml Can sheet metal	25010 D-F-I-E-GR
500 ml Can sheet metal	25011 GB-DK/N-FIN-S-RUS

Our information is based on thorough research and may be considered reliable, although not legally binding.